

## ПРИЛОЖЕНИЕ 1

### ПОПРАВОЧНЫЙ ТЕМПЕРАТУРНЫЙ КОЭФФИЦИЕНТ\*

Температура, °C	0.0	0.1	0.2	0.3	0.4	0.5	0.6	0.7	0.8	0.9
5	2.160	2.151	2.142	2.134	2.125	2.117	2.108	2.100	2.091	2.083
6	2.075	2.066	2.058	2.050	2.042	2.034	2.025	2.017	2.009	2.001
7	1.993	1.986	1.978	1.970	1.962	1.954	1.946	1.939	1.931	1.923
8	1.916	1.908	1.901	1.893	1.886	1.878	1.871	1.863	1.856	1.849
9	1.841	1.834	1.827	1.820	1.813	1.805	1.798	1.791	1.784	1.777
10	1.770	1.763	1.756	1.750	1.743	1.736	1.729	1.722	1.716	1.709
11	1.702	1.696	1.689	1.682	1.676	1.669	1.663	1.656	1.650	1.643
12	1.637	1.631	1.624	1.618	1.612	1.605	1.599	1.593	1.587	1.581
13	1.575	1.568	1.562	1.556	1.55	1.544	1.538	1.532	1.527	1.521
14	1.515	1.509	1.503	1.497	1.492	1.486	1.480	1.474	1.469	1.463
15	1.457	1.452	1.446	1.441	1.435	1.430	1.424	1.419	1.413	1.408
16	1.403	1.397	1.392	1.387	1.381	1.376	1.371	1.366	1.360	1.355
17	1.350	1.345	1.340	1.335	1.330	1.325	1.320	1.315	1.310	1.305
18	1.300	1.295	1.290	1.285	1.280	1.275	1.270	1.266	1.261	1.256
19	1.251	1.247	1.242	1.237	1.232	1.228	1.223	1.219	1.214	1.209
20	1.205	1.200	1.196	1.191	1.187	1.182	1.178	1.174	1.169	1.165
21	1.16	1.156	1.152	1.147	1.143	1.139	1.135	1.130	1.126	1.122
22	1.118	1.114	1.110	1.105	1.101	1.097	1.093	1.089	1.085	1.081
23	1.077	1.073	1.069	1.065	1.061	1.057	1.053	1.049	1.045	1.042
24	1.038	1.034	1.030	1.026	1.022	1.019	1.015	1.011	1.007	1.004
25	1.000	0.997	0.995	0.992	0.989	0.987	0.984	0.982	0.979	0.976
26	0.974	0.971	0.969	0.966	0.963	0.961	0.958	0.956	0.953	0.951
27	0.948	0.946	0.943	0.941	0.938	0.936	0.933	0.931	0.928	0.926
28	0.924	0.921	0.919	0.916	0.914	0.912	0.909	0.907	0.904	0.902
29	0.900	0.897	0.895	0.893	0.89	0.888	0.886	0.883	0.881	0.879
30	0.877	0.874	0.872	0.870	0.868	0.865	0.863	0.861	0.859	0.856
31	0.854	0.852	0.850	0.848	0.845	0.843	0.841	0.839	0.837	0.835
32	0.832	0.830	0.828	0.826	0.824	0.822	0.820	0.818	0.816	0.813
33	0.811	0.809	0.807	0.805	0.803	0.801	0.799	0.797	0.795	0.793
34	0.791	0.789	0.787	0.785	0.783	0.781	0.779	0.777	0.775	0.773
35	0.771	0.769	0.767	0.765	0.763	0.761	0.760	0.758	0.756	0.754
36	0.752	0.750	0.748	0.746	0.744	0.743	0.741	0.739	0.737	0.735
37	0.733	0.731	0.730	0.728	0.726	0.724	0.722	0.721	0.719	0.717
38	0.715	0.713	0.712	0.710	0.708	0.706	0.705	0.703	0.701	0.699
39	0.698	0.696	0.694	0.693	0.691	0.689	0.687	0.686	0.684	0.682
40	0.681	0.679	0.677	0.676	0.674	0.672	0.671	0.669	0.667	0.666

Реальная производительность мембраны = Производительность мембраны из таблицы тех.характеристик/поправочный коэффициент

\* По данным производителя мембран Vontron Membrane Technology Co., Ltd.